

**Material Safety Data Sheet**

May be used to comply with  
OSHA's Hazard Communication Standard,  
29 CFR 1910.1200. Standard must be  
consulted for specific requirements.

**U.S. Department of Labor**

Occupational Safety and Health Administration  
(Non-Mandatory Form)

Form Approved  
OMB No. 1218-0072



**IDENTITY** (As Used on Label and List)  
FS-CONDENSATE STICKS

*Note: Blank spaces are not permitted. If any item is not applicable, or no information is available, the space must be marked to indicate that.*

**Section I**

|  |  |
|--|--|
| Manufacturer's Name<br>FISHER-STEVENS  | Emergency Telephone Number<br>(361) 578-7005       |
| Address (Number, Street, City, State, and ZIP Code)<br>43 STOREHOUSE DR.<br>VICTORIA, TX 77904 | Telephone Number for Information<br>(800) 448-3760 |
|  | Date Prepared<br>January 1, 2014                   |
|  | Signature of Preparer (optional)<br>NA             |

**Section II — Hazardous Ingredients/Identity Information**

| Hazardous Components (Specific Chemical Identity; Common Name(s)) | OSHA PEL | ACGIH TLV | Other Limits Recommended | % (optional) |
|---|----------|-----------|--------------------------|--------------|
| SURFACTANT COMPOUND/AMINE SALT<br>FORMULA PROPRIETARY.            | NA       | NA        | NA                       | NA           |

**Section III — Physical/Chemical Characteristics**

|  |   |
|--|---|
| Boiling Point<br>NA                            | Specific Gravity (H <sub>2</sub> O = 1)<br>1.07 |
| Vapor Pressure (mm Hg.)<br>NA                  | Melting Point<br>120°F                          |
| Vapor Density (AIR = 1)<br>NA                  | Evaporation Rate<br>(Butyl Acetate = 1) NA      |
| Solubility in Water<br>100%                    |   |
| Appearance and Odor<br>TAN WAX LIKE/SWEET ODOR |   |

**Section IV — Fire and Explosion Hazard Data**

|   |                        |           |           |
|---|------------------------|-----------|-----------|
| Flash Point (Method Used)<br>PPMC := 200°F  | Flammable Limits<br>NA | LEL<br>NA | UEL<br>NA |
| Extinguishing Media<br>DRY CHEMICAL, WATERSPRAY, WATERFOG, CO <sub>2</sub> , FOAM, SAND or EARTH.                           |                        |           |           |
| Special Fire Fighting Procedures<br>DO NOT ENTER WITHOUT PROTECTIVE EQUIPMENT, INCLUDING SELF CONTAINED BREATHING APPARATUS |                        |           |           |

Unusual Fire and Explosion Hazards  
NONE

**Section V — Reactivity Data**

|                |               |  |                     |
|----------------|---------------|--|---------------------|
| Stability<br>0 | Unstable      |  | Conditions to Avoid |
|                | Stable<br>NDA |  | NDA                 |

Incompatibility (Materials to Avoid)  
NDA

Hazardous Decomposition or Byproducts  
NDA

|                          |                       |  |                     |
|--------------------------|-----------------------|--|---------------------|
| Hazardous Polymerization | May Occur             |  | Conditions to Avoid |
|                          | Will Not Occur<br>NDA |  | NDA                 |

**Section VI — Health Hazard Data**

|                    |                   |              |                   |
|--------------------|-------------------|--------------|-------------------|
| Route(s) of Entry: | Inhalation?<br>NA | Skin?<br>YES | Ingestion?<br>YES |
|--------------------|-------------------|--------------|-------------------|

Health Hazards (Acute and Chronic)  
NDA

|                         |            |                        |                       |
|-------------------------|------------|------------------------|-----------------------|
| Carcinogenicity:<br>NDA | NTP?<br>NA | IARC Monographs?<br>NA | OSHA Regulated?<br>NA |
|-------------------------|------------|------------------------|-----------------------|

Signs and Symptoms of Exposure  
DRY SKIN, SLIGHT DISCOMFORT IN EYES.

Medical Conditions  
Generally Aggravated by Exposure

**CUTS OR ABRASIONS**  
Emergency and First Aid Procedures  
EYES-FLUSH WITH PLENTY OF WATER FOR 15 MINUTES AND CALL A PHYSICIAN. SKIN CONTACT-FLUSH WITH PLENTY OF WATER. INHALATION-IF DIFFICULTY IN BREATHING, REMOVE VICTIM TO NON-CONTAMINATED AREA. GIVE OXYGEN IF LABOR IN BREATHING. IF SWALLOWED CALL A PHYSICIAN.

**Section VII — Precautions for Safe Handling and Use**

Steps to Be Taken in Case Material is Released or Spilled  
ABSORB WITH AN INERT INGREDIENT SUCH AS SAND, EARTH OR VERMICULATE.

Waste Disposal Method  
METHODS CONSISTANT WITH FEDERAL, STATE, AND LOCAL REGULATIONS.

Precautions to Be Taken in Handling and Storing  
STORE BETWEEN 50°F AND 120°F

Other Precautions  
KEEP AWAY FROM EXCESSIVE HEAT OR OPEN FLAME.

**Section VIII — Control Measures**

Respiratory Protection (Specify Type)  
NDA

|             |  |                |
|-------------|--|----------------|
| Ventilation | Local Exhaust                                  | Special<br>NDA |
|             | Mechanical (General)<br>MECHANICAL RECOMMENDED | Other<br>NDA   |

|   |   |
|---|---|
| Protective Gloves<br>RUBBER OR PLASTIC COATED | Eye Protection<br>SAFETY GOGGLES OR SPLASH SHIELD |
|---|---|

Other Protective Clothing or Equipment  
PRETECTIVE APRON

Work/Hygienic Practices  
WASH HANDS AFTER HANDLING